

# **Certificate of Attestation**

Certificate: 70205878 Master Contract: 274177

**Project:** 70205878 **Date Issued: November 27, 2018** 

**Issued to:** Millennium Reign Energy

530 N. Main

Dayton, Ohio 45405

**USA** 

**Attention: Chris McWhinney** 

The products listed below are eligible to bear the CSA Mark shown



Issued by:

David Itoe
David Itoe

#### **PRODUCTS**

CLASS 3316 88 - ATTESTATION - Scalable hydrogen fueling appliance - Certified-to US standards

The table below lists the scalable hydrogen fueling appliance models and their authorized configurations:

Models	Cell Stack	Voltage (V	Current (A)	Storage (kg)	Number of	Production per
		)			tanks	day (kg)
100 (C)	55	240 1φ	50	4	4	2
102 (C)	55	240 1φ	50	6	6	2
104 (C)	55	240 1φ	50	8	8	2
200 (C)	114	240 1φ	60	8	8	4
300 (C)	6 x 55 or 3	240 1φ (4)	50 (4)	24	24	12
	x 114		breakers			

Maximum fueling pressure 41.360 MPa (6000 psi)

Dispenser operates within the ambient temperature range of 2°C to 33°C

Model numbers: 100, 102, 104, 200, 300. These models are intended to fill 70Mpa vehicle tank systems only. Models 100C, 102C, 104C, 200C, and 300C must be equipped with a regulator set at 33.1MPa gage, which may fill 35Mpa vehicle tanks.

DQD 507 Rev. 2016-02-18

Page 1



Certificate:70205878Master Contract:274177Project:70205878Date Issued: November 27, 2018

The SHFA are for indoor and outdoor installation and non-residential and residential use.

### **APPLICABLE REQUIREMENTS**

CSA IR 3-18 Scalable Hydrogen Fueling Appliance

DQD 507 Rev. 2016-02-18



## Supplement to Certificate of Compliance

Certificate: 70205878 Master Contract: 274177

The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.

## **Product Certification History**

Project	Date	Description	
70205878	2018-11-27	Attestation Type II Verification-Original Attestation.	

DQD 507 Rev. 2016-02-18

Page 1